

Marshall Electronics

V-R241-IMD-3G Specification Sheet

Panel	Number of Panels	1
	Panel Size	24.1" Diagonal
	Resolution	1920 x RGB x 1200
	Aspect Ratio	16:10
	Active Area	518.4 x 324.0 mm
	Type	LCD Panel
	Brightness	400 cd/m2
	Contrast	1000:1
	Color Gamut	YUV, RGB
	Viewing Angles	178° x 178°
	Backlight type	LED
	Adjustable Backlight	No
Features	Video Formats	1080p/1080i/720p/625i/525i
	Loss of Input Curtain	Yes
	Color Temperature	D65, D55 and D93
	IMD Functions	Yes
	Tally	Yes
	False Color	No
	Peaking Filter	No
	Pixel to Pixel	Yes
	Closed Caption	Yes
	Pre-set Gamma points	Yes
	Self-Sensing	Yes
Audio Bars	Yes	
	Embedded Audio with SDI	Yes
Video Input Connectors	CVBS	No
	YPbPr	No
	SD-SDI	Yes
	HD-SDI	Yes
	3G-SDI	Yes
	HDMI	No
	DVI-I	No
	Optical	No
Video Output Connectors	CVBS	No
	YpbPr	No
	SD-SDI	Yes
	HD-SDI	Yes
	3G-SDI	Yes
	HDMI	No
Control Inputs	Tally / GPI	Yes
	RS-485/422 w/ Loop Through	Yes
	Ethernet	No
	Controls on Front	Yes
	User-Defined Function Buttons	Yes
	RotoMenu™ Control	Yes
	Handles/Rack Ears	No
Power	Voltage	24 VDC
	Consumption	5.5A @ 24VDC (132 W)
	Power Switch	Yes
	Connector	4-Pin XLR Connector
Compliance	Compliance	CE approved
Environmental	Operating Temperature (C°)	32°F to 104°F
	Storage Temperature (C°)	-4°F to 120°F
	Unit dimensions	21.86" x 15.47" x 2.14"
	Weight (Main Body)	13.28 lbs
	Vesa Mount Pattern	75 mm and 100 mm